



# POWERFUL PRODUCTIVITY IN A COMPACT SIZE

FOR BUSY WORKGROUPS

## PERFORMANCE

- Print up to 37 ppm in black and white
- Scan in colour/black and white
- Print up to 8-1/2" x 14"
- 1,100-sheet maximum paper capacity

## FEATURES

- Copy, print, scan, fax
- High-quality, black-and-white output
- User-friendly, 5-line interface
- Low energy consumption
- Reliable and cost-efficient



Small businesses and corporate workgroups depend on solutions that help maximize resources, boost productivity, and are easy to manage. The cost-efficient imageRUNNER 1400 Series does all that and more. With fast output, scanning, faxing, and high reliability, these multifunction devices let you accomplish more in a small space.

### VERY EFFICIENT WORKFLOW

Whether you're a small business, part of a workgroup, or a medical practice, the imageRUNNER 1400 Series models can boost operational efficiency. Scan and e-mail documents to clients and colleagues or conveniently scan to/print from a USB memory stick. The ID Card Copy feature easily copies cards and other small, two-sided documents onto the same page. Extend your document management capabilities when you scan using the standard PDF (OCR) format. These models enable mobile workers and offices with the ability to scan to/print from select mobile devices.

### A TRUE MULTITASKER

Small enough to fit on a desktop, the imageRUNNER 1400 Series can be used by itself or as part of a larger Canon MFP fleet. Copy, print, scan, fax, and manage documents in sizes up to 8-1/2" x 14". Output images with superb clarity and detail at 1,200 dpi x 600 dpi (enhanced) print resolution. Ideal for printing business documents, these models support Canon UFR II LT, PCL 5e/6, and Adobe® PostScript® 3™.\*

### REAL SPEED AND EASE

With a first-copy-out time as fast as 6.9 seconds and output up to 37 ppm, the imageRUNNER 1400 Series is a quick performer. Scan documents in black and white and colour to e-mail addresses or networked locations. The highly visible, 5-line display simplifies use. The standard 600-sheet capacity can be increased to 1,100 sheets to handle many jobs without interruption.



\* PCL 5e/6 and Adobe® PostScript® 3™ is standard on the imageRUNNER 1435iF model, optional on the imageRUNNER 1435i model.



## EFFICIENT PERFORMANCE

Designed with your bottom line in mind, the Canon imageRUNNER 1400 Series helps minimize costs and maximize reliability, while the robust design helps ensure long, dependable operation. Canon's uniFLOW® software helps control costs by managing, tracking, and charging back usage. And simple-to-replace, high-yield consumables help keep work moving while achieving a lower cost per page.

## SMART MANAGEMENT

An ideal replacement for single-function printers or older models, the imageRUNNER 1400 Series easily integrates into your network of imageRUNNER devices to streamline and simplify management and maintenance. Even receive alerts when supplies or service calls are needed with imageWARE Enterprise Management Console and plug-ins.

## SECURITY SOLUTIONS

Safeguard information and help ensure security compliance with the imageRUNNER 1400 Series. Canon's uniFLOW solution lets users securely retrieve documents from any networked device. AuSend restricts scanning and sending capabilities only to authorized users. TX Archiving automatically forwards a copy of a fax to an administrator-defined destination. And with no hard disks in these models, there are no latent images.



## ECO-CONSCIOUS DESIGN

The imageRUNNER 1400 Series meets ENERGY STAR® standards and has a low TEC (Total Energy Consumption) rating. These models follow Canon's stringent Green Procurement policy and environmental commitments.



# SPECIFICATIONS

## MAIN UNIT

**System Type**  
Digital Multifunction Imaging System

**Operation Panel:** 5-line LCD

**Memory:** RAM 512 MB;  
Standard USB Port

### Network Interface Connectors

**Standard:** 1000Base-T, 100Base-TX, 10Base-T  
**Other:** USB2.0 x1 (Host), USB1.1 x1(Host),  
USB (Device)

### Copy/Print Speed (BW)

**Letter:** Up to 37 ppm  
**Legal:** Up to 25 ppm

### Engine Resolution

600 dpi x 600 dpi; 1200 dpi x 600 dpi (Enhanced)

### First-Copy-Out Time (Letter)

As fast as 6.9 Seconds

### Paper Sources (20 lb. Bond)

**Standard:** 500-sheet Cassette  
100-sheet Bypass  
**Optional:** 500-sheet Cassette  
**Maximum:** 1,100 Sheets

### Output Capacity (20 lb. Bond)

**Maximum:** 100 Sheets

### Output Paper Size

**Cassette:** Letter, Legal  
**Bypass:** Letter, Legal, Statement, Executive,  
Custom Size (3" x 5" to 8-1/2" x 14"),  
Envelope (C5/DL/COM-10/Monarch)

### Acceptable Paper Weights

**Cassette:** 17 lb. Bond to 24 lb. Bond  
(64 to 90 g/m<sup>2</sup>)  
**Bypass:** 16 lb. Bond to 34 lb. Bond  
(60 to 128 g/m<sup>2</sup>)

### Warm-Up Time

**From Power On:** 20 Seconds or Less  
**From Sleep Mode:** 7.8 Seconds or Less

### Power Requirements/Plug

120 - 127 V AC, 60 Hz, 7.8 A/NEMA 5-15P

**Sleep Mode:** 2.0 W or Less

### Dimensions (H x W x D)

18-3/4" x 21-1/2" x 18"  
(475.3 mm x 545 mm x 457 mm)

**Weight :** Approx. 52.3 lb. (23.74 kg)

**Toner:** 17,600 Images  
(Estimated Yield @ 6% Coverage)

### Max. Copy/Print Size (Platen)

8-1/2" x 14" (215.9 mm x 355.6 mm)

## DOCUMENT FEEDER

### Scan Method

Duplexing Automatic Document Feeder

**Acceptable Originals:** 5-1/2" x 5" to 8-1/2" x 14"

### Scan Speed (Letter)

**Simplex:** Up to 29 ipm (BW)/10 ipm (Colour)  
**Duplex:** Up to 10 ipm (BW)/6 ipm (Colour)

**Paper Capacity:** Up to 50 Sheets (20 lb. Bond)

## PDL SUPPORT

**Standard:** UFR II LT

**Standard (1435iF):** PCL 5e/6, and Adobe PS 3

**Optional (1435i):** PCL 5e/6, and Adobe PS 3

**Optional:** Barcode Printing Kit

## UNIVERSAL SEND

### Sending Method

E-mail, USB, File Server (FTP, SMB)

### Communication Protocol

**File:** FTP (TCP/IP), SMB (TCP/IP)  
**E-mail:** SMTP, POP3

### File Format

**Standard:** TIFF, JPEG, PDF, PDF (Compact),  
PDF (Compact/OCR), PDF (OCR)  
**Optional:** Encrypted PDF, Digital Signature PDF

## FAX SPECIFICATIONS (1435iF only)

**Maximum Number of Connection Lines:** 1

### Modem Speed

**Super G3:** 33.6 Kbps  
**G3:** 14.4 Kbps

## SECURITY SPECIFICATIONS

### Standard

Department ID Management, IPv6, Restricting Features (Restricting New Addresses on Address Book, Allow Fax Driver TX, Restrict Recall, Confirm Entered Fax Numbers, Restrict Sequential Broadcast, Restrict USB Interface), Memory Lock, MAC/IP Address Filtering, SMTP Authentication, POP Authentication before SMTP, IEEE802.1x, Authentication Feature for Send Operation (AuSend), Secured Print, SNMP v1/v3, SSL Encrypted Communication, Fax Forwarding, Fax Destination Confirmation, USB Block, TLS Support for E-mail, Fax TX Archive

### Optional

Encrypted PDF, Digital Signature PDF, uniFLOW



imageRUNNER  
1435iF/1435i



imageRUNNER 1435iF/  
1435i with Cassette



imageRUNNER 1435iF/  
1435i with Cabinet



imageRUNNER 1435iF/1435i  
with Cassette and Cabinet

# Canon

As an ENERGY STAR® Partner, Canon U.S.A., Inc. has determined that these products meet the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered marks in Canada. CANON, IMAGERUNNER, and MEAP are registered trademarks of Canon Inc. in Canada and may also be registered trademarks or trademarks in other countries. IMAGEWARE is a registered trademark of Canon Inc. in Canada and in certain other countries. Because it Counts is a registered trademark of Canon Canada Inc. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged. Some items may not be available at this time; please check for availability. All printer output images are simulated. Products are shown with optional accessories. Specifications and availability subject to change without notice.

©2015 Canon Canada Inc. All rights reserved.

0195W857

WWW.CANON.CA  
1-800-OK-CANON

